Ligand-free synthesis of gold nanoparticles included within cylindrical block copolymer films

Patrick Guenoun, Florian Aubrit, Fabienne Testard, Frédéric Gobeaux, Xuan Wang, Virginie Ponsinet, Frédéric Nallet, Philippe Fontaine

C'Nano 2017 - Call for proposals

Poster and Oral presentations

Presentation (chose one)

☑ **Oral presentation**

☐ **Poster presentation**

Symposium - For a poster presentation, chose one or several symposiums according to your research topic

Workshop "NanoBio" - Life Nanoscience and NanoBiotechnology

- ☐ NanoBio 1 - NanoBioAssembly
- ☐ NanioBio 2 - Imaging and Nanoprobes
- ☐ NanoBio 3 - Biosensors

Workshop "Nanomat" - Innovative Nanomaterials and Advance Characterization

- ☑ Nanomat 1 :
- ☐ Nanomat 2
- ☐ Nanomat 3

Workshop "NanoInWorld" : Nanosciences for a Sustainable World

- ☐ NanoInWorld 1
- ☐ NanoInWorld 2
- ☐ NanoInWorld 3 – Nano integration in society

Workshop "NanoPhot" – Nanophotonics

- ☐ NanoPhot 1 - Resonance & quantum nano-optics
- ☐ NanoPhot 2 – Emergent nanomaterials for nanophotonics

Title and affiliations (must fit in this box)

Ligand-free synthesis of gold nanoparticles included within cylindrical block copolymer films

GUENOUN Patrick[1], AUBRIT Florian[1], TESTARD Fabienne[1], GOBEAUX Frédéric[1], WANG Xuan[2], PONSINET Virginie[2], NALLET Frédéric[2], FONTAINE Philippe[4]

1. LIONS, NIMBE, CEA, CNRS, Université Paris-Saclay, CEA-Saclay F-91191 Gif-sur-Yvette Cedex
2. Centre de Recherche Paul Pascal, Université de Bordeaux, UPR CNRS 8641, Pessac
3. Synchrotron SOLEIL, L'Orme des Merisiers, Saint-Aubin-BP 48, F-91192 Gif-sur Yvette Cedex

Abstract (No longer than 250 words. Both the abstract and references must fit in this box. Style is Calibri 12, single line spacing)

We report the inclusion of gold nanoparticles (AuNPs) without pre-functionalization step in oriented films of block copolymer poly(styrene)-b-poly(vinylpyridine) (PS-b-PVP) on a substrate. After deposition with an appropriate solvent, PS-b-P4VP and PS-b-P2VP are cast as films presenting either perpendicular and parallel cylinders. By including gold salt in these solutions and operating subsequent sonication, AuNPs (with a diameter of 2 nm) are synthetized and found located inside the cylinders of PVP after deposition of the film by spin-coating. Increasing the initial amount of gold precursors allows the formation of bigger AuPs (d=4 nm). The seeded-growth of the pre-formed AuNPs was also achieved in order to get bigger AuNPs (d=8 nm) with plasmon resonance properties. This method was found more efficient in order to get bigger nanoparticles with a low quantity of gold precursor. The presence of AuNPs in the PVP domains disturbs the organization of the parallel cylinders, while it swells the PVP domains in the case of the perpendicular cylinders without changing their orientation. The formation of AuNPs inside a copolymer was also performed by radiolysis, through the irradiation of the copolymer solution and the copolymer film, both containing the gold salt, and led to similar results. The presence of plasmonic AuNPs of small diameter (~3-4 nm) was evidenced in both cases. GISAXS measurements are presented to characterize and compare the films order before and after gold inclusion, and help proving that cylinder are perpendicular to the substrate through the entire thickness.