



**HAL**  
open science

## On the way to a standard method for Technetium-99 determination in radioactive waste

C. Gautier, M. Crozet, L. Bec-Espitalier

### ► To cite this version:

C. Gautier, M. Crozet, L. Bec-Espitalier. On the way to a standard method for Technetium-99 determination in radioactive waste. 13th International Symposium on Nuclear and Environmental Radiochemical Analysis ERA13, Sep 2018, Cambridge, United Kingdom. cea-02339072

**HAL Id: cea-02339072**

**<https://hal-cea.archives-ouvertes.fr/cea-02339072>**

Submitted on 13 Dec 2019

**HAL** is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

# On the way to a standard method for Technetium-99 determination in radioactive waste

*Céline Gautier<sup>1\*</sup>, Marielle Crozet<sup>2</sup>, Lionel Bec-Espitalier<sup>3</sup>*

<sup>1</sup>Den - Service d'Etudes Analytiques et de Réactivité des Surfaces (SEARS), CEA, Université Paris-Saclay, F-91191, Gif-sur-Yvette, FRANCE, \*celine.gautier@cea.fr

<sup>2</sup>Den - Commission d'ETablissement des Méthodes d'Analyses (CETAMA), CEA Marcoule, 30 207 Bagnols-sur-Cèze, France

<sup>3</sup>NucLab, Building 109, CEA Marcoule, 30207 Bagnols-sur-Cèze, France

*In collaboration with members of the Working Group "radionuclides analysis in waste" (WG14 - CETAMA)*

In the context of radioactive waste management, a detailed radionuclide inventory has to be compiled. In France, the National Radioactive Waste Management Agency (ANDRA) specifies radiochemical criteria for 143 radionuclides stored in the repository site devoted to the Low and Intermediate Level short-lived Waste<sup>1</sup>. Among this long list<sup>1</sup>, Tc-99 has to be declared as soon as its activity concentration is over 0.01 Bq/g and its maximum acceptance limit has been fixed to 44000 Bq/g. Tc-99 can be produced by thermal neutron fission of U-235 obtained according to a relatively high thermal fission yield of 6 %. It can also be generated from neutron activation of Mo. With a half-life of 214000 years, Tc-99 is a major contributor to the radioactivity of nuclear waste at long term. Furthermore, due to its high mobility in the environment as pertechnetate anion, it is crucial to characterize Tc-99. As a beta emitter, Tc-99 has to be isolated from the interfering radionuclides through a radiochemical procedure prior to any measurement. Tc-99 is widely measured by liquid scintillation counting but it can also be quantified with a greater sensitivity by ICP-MS owing to its high half-life. Many literature works<sup>2</sup> deal with the radiochemical characterization of Tc-99 in environmental samples. There is a guide standard<sup>3</sup> for the determination of Tc-99 in soil and a standard project<sup>4</sup> is currently being finalized for water samples. However, no radiochemical standard or common method has been published for the measurement of Tc-99 in radioactive waste. Since the decommissioning and dismantling of nuclear sites are in growth, it is of prime interest to set up a standard for the accurate quantification of Tc-99 in radwaste.

In the framework of CETAMA commission<sup>5</sup>, a working group dedicated to Tc-99 has been created in 2015. Nine French laboratories have participated to the establishment of a radiochemical procedure suitable for all the various matrices encountered in radwaste samples (sludges, muds, metals or concretes). The aim of this work is to detail the different steps which led to the publication of a common radiochemical procedure to characterize Tc-99 in radwaste (see Figure 1).




Figure 1: Flow chart of the radiochemical method to measure Tc-99 in radioactive waste

## References

- <sup>1</sup>ANDRA, ACO.SP.ASRE.99.0002D ANDRA specifications (2014).
- <sup>2</sup>Shi et al. Anal. Chim. Acta (2012) 709:1- 20.
- <sup>3</sup>ASTM, Guide standard guide for the determination of Tc-99 in Soil, ASTM C1387-14, ASTM International, West Conshohocken, PA (2014).
- <sup>4</sup>Standard ISO 22125-1 and 22125-2, Water quality - Technetium-99 - Test method using liquid scintillation counting or ICP-MS, in press.
- <sup>5</sup>CETAMA site, <https://cetama.partenaires.cea.fr/>