



HAL
open science

Interest of Gas Phase Processes for the Synthesis of Materials Activated under Light: Example in Photocatalysis and Photovoltaics

N Herlin Boime, S Ngo, S. Bouhadoun, R Belchi, A Habert, F Dapozze, J
Bouclé, C Guillard

► **To cite this version:**

N Herlin Boime, S Ngo, S. Bouhadoun, R Belchi, A Habert, et al.. Interest of Gas Phase Processes for the Synthesis of Materials Activated under Light: Example in Photocatalysis and Photovoltaics. SPASEC22, Nov 2017, Clearwater Beach, United States. cea-02341307

HAL Id: cea-02341307

<https://hal-cea.archives-ouvertes.fr/cea-02341307>

Submitted on 31 Oct 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

Interest of Gas Phase Processes for the Synthesis of Materials Activated under Light: Example in Photocatalysis and Photovoltaic

N. Herlin Boime¹, S. Ngo², S. Bouhadoun^{1,2}, R. Belchi^{1,3}, A. Habert¹, F. Dapozze², J. Bouclé³, C. Guillard²

1, NIMBE, CEA, CNRS, Université Paris-Saclay, CEA Saclay 91191 Gif-sur-Yvette France

2, IRCELYON, CNRS-Université Claude Bernard Lyon 1, 2 av. Albert Einstein, 69626 Villeurbanne Cedex, France

3, Univ. Limoges, CNRS, XLIM, UMR 7252, F-87000 Limoges, France

Due to its high activity under near UV illumination, one of the most studied materials in photocatalytic as well as in photovoltaic studies is titanium dioxide TiO_2 especially in its anatase crystalline form. In both cases, one of the phenomena limiting the efficiency is the recombination of electron-holes pair. In this context, the use of composites based on TiO_2 nanoparticles and carbon or metallic nano-objects is a relevant strategy towards more efficient electron transfer processes.

This paper will present the one-step synthesis of such nanocomposites and some studies on their photocatalytic or photovoltaic applications. To achieve the synthesis of high quality nanocomposites presenting well-controlled physical properties, we use the laser pyrolysis method. This method is based on the interaction between a high power CO_2 laser and a gaseous or liquid precursor. In all cases Titanium tetraisopropoxide (TTIP) was used as the TiO_2 precursor. Hydrogen tetrachloroaurate was dissolved in the TTIP solution to produce Au loaded TiO_2 nanoparticles (Figure 1, left). The efficiency of these nanoparticles was studied under air and N_2 for the photocatalytic decomposition of acetic acid. Graphene nanoparticles were dispersed in liquid TTIP to produce composite nanoparticles where TiO_2 is grown at the surface of the graphene layers (Figure 1, right). These composite nanoparticles were used to form the porous layer of a perovskite solar cell. In both cases, a significant effect is observed by comparison to the performances obtained from pure TiO_2 .




Figure 1 : TEM images of (left) Au loaded TiO_2 nanoparticles (right) TiO_2 nanoparticles at the surface of a graphene layer.