

**Imogolite nanotubes partially transformed by
decylphosphonic acid to form an interface active
composite material**

Tobias Lange, Thibault Charpentier, Frédéric Gobeaux, Sophie Charton,
Fabienne Testard, Antoine Thill

► **To cite this version:**

Tobias Lange, Thibault Charpentier, Frédéric Gobeaux, Sophie Charton, Fabienne Testard, et al.. Imogolite nanotubes partially transformed by decylphosphonic acid to form an interface active composite material. SFNano-C'nano, Dec 2019, Dijon, France. cea-02403839

HAL Id: cea-02403839

<https://hal-cea.archives-ouvertes.fr/cea-02403839>

Submitted on 11 Dec 2019

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.



Thematic Session: C'Nano specific session, Nanomaterials

Keywords: nanotubes, functionalization, imogolite, emulsion, phosphonic acid

Imogolite nanotubes partially transformed by decylphosphonic acid to form an interface active composite material

Tobias Lange^{1,2}, Thibault Charpentier², Frédéric Gobeaux², Sophie Charton¹, Fabienne Testard² and Antoine Thill²

1. CEA, DEN, DMRC, SA2I, BP17171, 30207 Bagnols sur Cèze, France,
2. CEA, DRF, IRAMIS, NIMBE, UMR 3685, CNRS, Université Paris-Saclay, 91191 Gif sur Yvette, France.

Abstract:

The natural Imogolite clay ((HO)3Al2O3SiOH) with nano-tubular structure of 2-3 nm diameter is a promising candidate for polymer reinforcement, water treatment and other applications.[1] However, its hydrophilic external gibbsite like surface limits its use in hydrophobic environment. Among the different possible grafting functions for the outer surface, the phosphonic acid moiety is the most used. It shows strong reactivity with imogolite [1]. If the resulting product can be dispersed in a hydrophobic environment, the impact of the reaction on the tubular structure was never demonstrated and experimental evidence of grafted dispersed imogolite tubes with a brush-like layer on their exterior is still missing [2].

By combining different experimental techniques (SAXS, IR, MAS NMR, SEM and TEM) we systematically characterized the reaction product of imogolite and (decyl)phosphonic acid [3]. The product shows properties which were previously ascribed to grafted tubes [2], but no evidence for grafting is found. Instead, we observed the formation of a lamellar phase at the expense of the tubular structure, which forms a composite material with the remaining imogolite tubes. This newly formed material has unusual interfacial properties able to stabilize water droplets in toluene. The exhibited reactivity can be explained by the surface chemistry of the imogolite. Beyond the particular case of imogolite reactivity, the approach described here opens an interesting synthetic strategy to form hierarchical materials from nanoparticles dispersion.

References

- [1] P. Yuan, A. Thill, and F. Bergaya, Nanosized tubular clay minerals: Halloysite and Imogolite. Elsevier(2016).
- [2] P. Picot, O. Taché, F. Malloggi, T. Coradin, A. Thill, Faraday Discuss, 191, 391-406 (2016).
- [3] T. Lange, T. Charpentier, F. Gobeaux, S. Charton, F. Testard, A. Thill, Langmuir, 35, 4068–4076 (2019).