



HAL
open science

Radiolytic decomposition of zinc stearate in presence of PuO₂ powders

J. Gracia, L. Venault, J. Vermeulen, M. Guigue, J. Maurin, F. Audubert,
Xavier Colin

► **To cite this version:**

J. Gracia, L. Venault, J. Vermeulen, M. Guigue, J. Maurin, et al.. Radiolytic decomposition of zinc stearate in presence of PuO₂ powders. NRC9 - Ninth International Conference on Nuclear and Radiochemistry, Aug 2016, Helsinki, Finland. hal-02441988

HAL Id: hal-02441988

<https://hal-cea.archives-ouvertes.fr/hal-02441988>

Submitted on 16 Jan 2020

HAL is a multi-disciplinary open access archive for the deposit and dissemination of scientific research documents, whether they are published or not. The documents may come from teaching and research institutions in France or abroad, or from public or private research centers.

L'archive ouverte pluridisciplinaire **HAL**, est destinée au dépôt et à la diffusion de documents scientifiques de niveau recherche, publiés ou non, émanant des établissements d'enseignement et de recherche français ou étrangers, des laboratoires publics ou privés.

RADIOLYTIC DECOMPOSITION OF ZINC STEARATE IN PRESENCE OF PuO₂ POWDERS

J. Gracia¹, L. Venault², J. Vermeulen², M. Guigue², J. Maurin², F. Audubert³, X. Colin⁴

¹CEA/DEN/DTEC/SECA/LFC Marcoule, BP 17171, 30207 Bagnols-sur-Cèze, France

²CEA/DEN/DRCP/SERA/LCAR Marcoule, BP 17171, 30207 Bagnols-sur-Cèze, France

³CEA/DEN/DEC/SA3C/LAMIR Cadarache, 13108 Saint-Paul-les-Durance, France

⁴PIMM, ENSAM ParisTech, 151 Boulevard de l'Hôpital, 75013 Paris, France

Zinc stearate is a metal salt of fatty acid used as lubricant in nuclear industry. The lubricant is added for the manufacturing of the oxide powder as fuel pellet. In 4th generation nuclear reactors, fuels will probably contain increasing amount of plutonium with a higher percentage of ²³⁸Pu isotope. This latter is an alpha emitter with a quite high specific activity (17.12 Ci.g⁻¹). Then, this will enhance the radiolysis phenomena induced by plutonium.

The radiolytic decomposition of zinc stearate was mostly studied through radiolysis gas analysis. To carry these experiments, zinc stearate powder was put in close contact with plutonium oxide according to two configurations :

- Zinc stearate and plutonium oxide powders are pressed separately as pellets, which are piled alternately.
- Zinc stearate and plutonium oxide powders are directly mixed with a weight content of zinc stearate between 1 and 2%.

The first kind of experiments was carried out placing on top of each other several zinc stearate pellets and plutonium dioxide discs to increase the contact surface between the materials and to control it. The second configuration aims to reproduce representative conditions of manufacturing process of nuclear fuel. These two configurations are compared in order to determine as much as possible the impact of radiolysis during pelletizing of nuclear fuel and green pellet storage.

Powders are placed in an airtight cell connected to a micro gas chromatograph in order to determine the nature and the quantity of the gases produced in the cell. Many experiments are made using

plutonium oxides with different isotopic vectors, i.e. by varying quantity of ²³⁸Pu.

Five gases (H₂, CO, CO₂, CH₄ and C₂H₆) have been analyzed; the major one being H₂ (Fig 1). Based on the kinetics of gases evolution, the radiolytic yields have been estimated and it appears that they do not depend on the isotopy of plutonium. By contrast, changing configuration shows that the release of carbonated species is more important when powders are mixed.

Zinc stearate pellets have also been irradiated externally thanks to Cyclotron of CEMHTI laboratory. Alpha radiations are simulated using helium particles. Different energies of incident particles are employed to vary dose rate. Other particles were used – protons, deuterons – to compare impact of radiations with very different linear energy transfer (LET). Gas production was studied in the same way that during first




Fig.1: H₂ release kinetic during zinc stearate radiolysis

experiments with plutonium oxide. In this way, external and internal (with PuO_2) irradiations can be compared based on radiolytic yields. The major advantage of using external irradiations is that they allow a solid study more accurate than in glove box, and a better understanding of irradiation of zinc stearate, thanks to the non-contamination of the samples.

Based on the results acquired through these experiments, radiolytic decomposition mechanisms of zinc stearate are proposed.